"KNOW BEFORE YOU SHOW"

Medication Factsheet: Executive Summary

Permitted Therapeutic Medications

The new NCHA Drug Rules are not part of a complete no-drug policy but rather rules for the welfare of the horse.

Within the guidelines listed in the NCHA Rulebook, these 15 therapeutic drugs* can be administered by a licensed veterinarian to a horse with a legitimate injury or illness within 24 hours of showing. For allowed dosage amounts, refer to the **Guidelines** listed in the Medication section of the NCHA Rulebook

It will be considered a rule violation if plasma and/or urine samples contain **more than one of the permitted Nonsteroidal Anti-inflammatory Drugs (NSAIDs)** that are listed below. <u>The exception is Diclofenac (Surpass®) topical which may be combined with one other systemic</u> <u>NSAID listed below under Permitted Medications.</u>

See Medication Fact Sheet for dosage in quantity i.e. milliliters, paste, tablets etc.

Dosage Regimen for NSAIDs:

Phenylbutazone: (Bute, PBZ)

| DOSAGE | ROUTE | FREQUENCY | CLINICAL USE | Withdrawal |
|---------------|---------|-------------|-----------------|------------|
| Up To 2 Grams | IV/Oral | Once Daily | NSAIDs | 6 HRS |
| Up To 1 Gram | IV/Oral | Twice Daily | | |

Flunixin meglumine: (Banamine®)

| DOSAGE | ROUTE | FREQUENCY | CLINICAL USE | Withdrawal |
|--------------|---------|------------|-----------------|------------|
| Up To 500 mg | IV/Oral | Once Daily | NSAIDs | 6 HRS |

Diclofenac: (Surpass®)

| DOSAGE | ROUTE | FREQUENCY | CLINICAL USE | Withdrawal |
|-------------|---------|-------------|-----------------|------------|
| Up To 73 mg | Topical | Twice Daily | NSAIDs | 6 HRS |

Ketoprofen: (Ketofen®)

| DOSAGE | ROUTE | FREQUENCY | CLINICAL USE | Withdrawal |
|--------------|-------|------------|-----------------|------------|
| Up To 1 Gram | IV | Once Daily | NSAIDs | 6 HRS |

Firocoxib: (Equioxx®)

| DOSAGE | ROUTE | FREQUENCY | CLINICAL USE | Withdrawal |
|---------------|---------|------------|-----------------|------------|
| Up To 45.5 mg | IV/Oral | Once Daily | NSAIDs | 6 HRS |

Meclofenamic Acid: (Arquel®)

| DOSAGE | ROUTE | FREQUENCY | CLINICAL USE | Withdrawal |
|-----------------|---------|-------------|-----------------|------------|
| Up To 0.5 Grams | IV/Oral | Twice Daily | NSAIDs | 6 HRS |

Naproxen: (Equiproxen®)

| DOSAGE | ROUTE | FREQUENCY | CLINICAL USE | Withdrawal |
|---------------|---------|------------|-----------------|------------|
| Up To 4 Grams | IV/Oral | Once Daily | NSAIDs | 6 HRS |

Therapeutic Medications

Dosage Regimen for Other Therapeutic Medications:

Omeprazole: (Gastroguard®)

| DOSAGE | ROUTE | FREQUENCY | CLINICAL USE | Withdrawal |
|------------------|-------|------------|-----------------|------------|
| Up To 1.62 Grams | Oral | Once Daily | Anti-ulcer | 6 HRS |

Methocarbamol: (Robaxin®)

| DOSAGE | ROUTE | FREQUENCY | CLINICAL USE | Withdrawal |
|-----------------|---------|-------------|-------------------|------------|
| Up To 5.0 Grams | IV/Oral | Twice Daily | Muscle relaxation | 6 HRS |

 $\mathsf{Furosemide:}\,(Salix^{\circledast})$

| DOSAGE | ROUTE | FREQUENCY | CLINICAL USE | Withdrawal |
|---------------|-------|------------|-----------------|------------|
| Up To 500 mg. | IV | Once Daily | Diuretic | 4 HRS |

Dexamethasone: (Dexject SP®)

| DOSAGE See Fact Sheet for Options | ROUTE | FREQUENCY | CLINICAL USE | Withdrawal |
|--------------------------------------|---------|------------|-----------------|------------|
| Up To 20.0 mg | IV | Once Daily | Corticosteroid | 12 HRS |
| Up To 10.0 mg | IV/Oral | Once Daily | | 6 HRS |

Acepromazine: (PromAce®)

| DOSAGE | ROUTE | FREQUENCY | CLINICAL USE | Withdrawal |
|------------|-------|------------|-----------------|------------|
| Up To 5 mg | IV | Once Daily | Sedation | 1 HR |

lsoxsuprine: (Vasodilan[®])

| DOSAGE | ROUTE | FREQUENCY | CLINICAL USE | Withdrawal |
|----------------|-------|-------------|-----------------|------------|
| Up To 1,600 mg | Oral | Twice Daily | Navicular | 6 HRS |

Acetazolamide:

| DOSAGE | ROUTE | FREQUENCY | CLINICAL USE | Withdrawal |
|---------------|-------|------------|-----------------|------------|
| Up To 3 Grams | Oral | Once Daily | HYPP | 6 HRS |

Altrenogest: (Regu-mate®)

| DOSAGE | ROUTE | FREQUENCY | CLINICAL USE | Withdrawal |
|-------------|-------|------------|-----------------|------------|
| Up To 22 mg | Oral | Once Daily | suppress estrus | 6 HRS |